


SPECIFICATIONS
1.REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FOR FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
5	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
4	Y600T-A	SPACER WITH BRACKET	-	1	
3	AN402-04	SILENCER	-	1	
2	VHS50-F06~F10B	3PORT HAND VALVE	-	1	
1	AF50-F06~F10-6-A	AIR FILTER	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-18	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL | QTY

TOLERANCES JIS B 0405

RANGE(mm)	GRADE f	m	c	v
0.5≤D≤3	0.05	0.1	0.2	
3<D≤6	0.05	0.1	0.3	
6<D≤30	0.1	0.2	0.5	
30<D≤120	0.15	0.3	0.8	
120<D≤400	0.2	0.5	1.2	
400<D≤1000	0.3	0.8	2	
1000<D≤2000	0.5	1.2	3	

DRAWN Ajito 2014-11-18
DESIGNED GMimura 2014-11-18
CHECKED
APPROVED NYamase 2014-11-28

SCALE 1 : 2

THIRD ANGLE

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC50X-F06~F10-6-A-X2123

REVISION G

DWG ID AC53451300

SMC Corporation

3D-A2-V06


FINISH: 表面処理 / PAINT: 塗装 / MASS: 質量
PACKING: 包装区分 / MATERIAL: 材質
MATERIAL SIZE: 材料寸法


DWG NAME


DWG REC

ROBOT 3/4"G

SMC株式会社 開発3部
2014-11-29 15:40







SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. DIGITAL PRESSURE SWITCH AND NIPPLE ARE PACKED TOGETHER.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
10	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
9	VA00179	NIPPLE	STEEL	1	R3/8XRC1/4 Zn.CHROMATE TREATMENT
8	Y600T-A	SPACER WITH BRACKET	-	2	
7	Y600-A	SPACER	-	1	
6	Y610-F03-A	T SHAPE SPACER	-	1	
5	E600-F10-A	PIPING ADAPTOR	-	1	
4	AN402-04	SILENCER	-	1	
3	ISE70-F02-43-X504	DIGITAL PRESSURE SWITCH	-	1	
2	VHS50-F10B	3PORT HAND VALVE	-	1	
1	AF60-F10-6-A	AIR FILTER	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-18	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL | QTY

TOLERANCES JIS B 0405

RANGE(mm)	GRADE f	m	c	v
0.5≤D≤3	0.05	0.1	0.2	
3<D≤6	0.05	0.1	0.3	
6<D≤30	0.1	0.2	0.5	
30<D≤120	0.15	0.3	0.8	
120<D≤400	0.2	0.5	1.2	
400<D≤1000	0.3	0.8	2	
1000<D≤2000	0.5	1.2	3	

DRAWN	Ajito	2014-11-18
DESIGNED	GMimura	2014-11-18
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 : 2

THIRD ANGLE

DWG NAME
AIR COMBINATION

DWG NO
AC60X-F10-6-A-X2119

REVISION

G


DWG NAME
DWG REC
DWG ID AC53505600


SMC Corporation

3D-A2-V06

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

GLOBAL STATION 1"G





GLOBAL STATION 3/4"G

SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. DIGITAL PRESSURE SWITCH AND NIPPLE ARE PACKED TOGETHER.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS. THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
10	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
9	VA00179	NIPPLE	STEEL	1	R3/8XRC1/4 Zn.CHROMATE TREATMENT
8	Y600T-A	SPACER WITH BRACKET	-	1	
7	Y600-A	SPACER	-	1	
6	Y610-F03-A	T SHAPE SPACER	-	1	
5	E600-F06~F10-A	PIPING ADAPTOR	-	1	
4	AN402-04	SILENCER	-	1	
3	ISE70-F02-43-X504	DIGITAL PRESSURE SWITCH	-	1	
2	VHS50-F06~F10B	3 PORT HAND VALVE	-	1	
1	AF50-F06~F10-6-A	AIR FILTER	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-18	GMimura	-

FINISH: -
PAINT: -
MASS: -
PACKING: -
MATERIAL: -
MATERIAL SIZE: -
MODEL
QTY
THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	DATE	Ajito 2014-11-18
DESIGNED	DATE	GMimura 2014-11-18
CHECKED	DATE	
APPROVED	DATE	NYamase 2014-11-28

SCALE 1 : 2

DWG NAME
AIR COMBINATION

DWG NO
Ⓐ AC50X-F06~F10-6-A-X2473


REVISION
G

DWG NAME
DWG REC
DWG ID AC53451400

SMC Corporation

3D-A2-V06

FINISH: 表面処理 / PAINT: 塗装 / MASS: 質量
PACKING: 包装区分 / MATERIAL: 材質
MATERIAL SIZE: 材料寸法



SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. DIGITAL PRESSURE SWITCH AND BARREL NIPPLE ARE PACKED TOGETHER.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
10	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
9	VA00034	BARREL NIPPLE	STEEL PIPE	1	R1/4 ZnCHROMATE TREATMENT
8	Y400T-A	SPACER WITH BRACKET	-	2	
7	Y400-A	SPACER	-	1	
6	Y410-F02-A	T SHAPE SPACER	-	1	
5	E400-F02~F04-A	PIPING ADAPTOR	-	1	
4	AN302-03	SILENCER	-	1	
3	ISE70-F02-43-X504	DIGITAL PRESSURE SWITCH	-	1	
2	VHS40-F02~F04B	3PORT HAND VALVE	-	1	
1	AF40-F02~F04-6-A	AIR FILTER	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-18	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -
MODEL QTY
THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	DATE	Ajito 2014-11-18
DESIGNED	DATE	GMimura 2014-11-18
CHECKED	DATE	
APPROVED	DATE	NYamase 2014-11-28

SCALE 1 :/2

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC40X-F02~F04-6-A-X2473

REVISION G

DWG NAME

DWG REC


DWG ID AC53506000


SMC Corporation

3D-A2-V06

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

GLOBAL STATION 1/2"G





SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. THE PLUG ON CHECK VALVE SHOULD BE ASSEMBLED BEFORE SHIPMENT.
3. PRESSURE GAUGE WITH COLOUR ZONE IS PACKED TOGETHER.
4. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS. THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
11	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED ATTACHED TO THE SIDE OF BRACKET(IN SIDE)
10	TB00185	PLUG	STEEL	1	R3/8 Zn.CHROMATE TREATMENT
9	Y400T-A	SPACER WITH BRACKET	-	2	
8	Y400-A	SPACER	-	3	
7	ANA1-03	SILENCER	-	1	
6	E400-F04-A	PIPING ADAPTOR	-	2	
5	AKM4000-F03-A	CHECK VALVE	-	1	
4	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
3	VHS40-F04B	3 PORT HAND VALVE	-	1	
2	AFM40-F04-6-A	MIST SEPARATOR	-	1	
1	AW40K-F04-6-B	FILTER REGULATOR	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-20	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL QTY

THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	DATE	Ajito 2014-11-20
DESIGNED	DATE	GMimura 2014-11-20
CHECKED	DATE	
APPROVED	DATE	NYamase 2014-11-28

SCALE 1 :/2

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC40D-F04-6-B-X2474

REVISION G

DWG NAME

DWG REC

DWG ID AC53509000


SMC Corporation

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

3D-A2-V06

GENERAL ASSEMBLY 1/2"G

SMC株式会社 開発3部
2014-11-29 14:30




SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.


CAUTION FOR PRODUCTION
1. SILENCER AND PRESSURE GAUGE WITH COLOUR ZONE ARE PACKED TOGETHER.
2. ASSEMBLE CHECK VALVE AND MALE CONNECTOR WHICH ARE PACKED TOGETHER.
3. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED.
PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

DETAILED DRAWING OF A



PARTS PACKED TOGETHER:



ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	KRH16-G04-X269	MALE CONNECTOR	-	2	
8	INA-25-88	SILENCER	-	1	
7	ANA1-04	SILENCER	-	1	
6	E600-F06-A	PIPING ADAPTOR	-	1	
5	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
4	VHS50-F06B	3 PORT HAND VALVE	-	1	
3	AVL5000-F06	SOFT START-UP VALVE	-	1	
2	AM550C-F06-T	MIST SEPARATOR	-	1	
1	AW60K-F06-6-B	FILTER REGULATOR	-	1	

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
13	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED ATTACHED TO THE SIDE OF BRACKET(IN SIDE)
12	Y600T-A	SPACER WITH BRACKET	-	2	
11	Y600-A	SPACER	-	2	
10	AK4000-F04	CHECK VALVE	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-20	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -
MODEL QTY

TOLERANCES JIS B 0405	GRADE		
RANGE(mm)	f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	Aito	2014-11-20
DESIGNED	GMimura	2014-11-20
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 : 2
THIRD ANGLE
DWG NAME AIR COMBINATION
DWG NO Ⓐ AC60X-F06-6-B-X2127
REVISION G
DWG ID AC53509500
SMC Corporation

GENERAL ASSEMBLY 3/4"G


FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

DWG NAME
DWG REC

3D-A2-V06

SMC株式会社 開発3部
2014-11-29 15:00


ON SMC



SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER AND PRESSURE GAUGE WITH COLOUR ZONE ARE PACKED TOGETHER.
2. ASSEMBLE CHECK VALVE AND MALE CONNECTOR WHICH ARE PACKED TOGETHER.
3. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED.
PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.



GLOBAL OFFLINE 3/4"G

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
5	ANA1-04	SILENCER	-	1	
4	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
3	VHS50-F06B	3 PORT HAND VALVE	-	1	
2	AM550C-F06-T	MIST SEPARATOR	-	1	
1	AW60K-F06-6-B	FILTER REGULATOR	-	1	

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
12	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED ATTACHED TO THE SIDE OF BRACKET(IN SIDE)
11	VA00179	NIPPLE	STEEL	1	R3/8XRC1/4 Zn.CHROMATE TREATMENT
10	Y600T-A	SPACER WITH BRACKET	-	2	
9	Y600-A	SPACER	-	3	
8	Y610-F03-A	T SHAPE SPACER	-	1	
7	E600-F06-A	PIPING ADAPTOR	-	2	
6	ISE70-F02-43-X504	DIGITAL PRESSURE SWITCH	-	1	

REV/QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	INITIAL RELEASE	2014-11-19	GMimura	-

FINISH	-
PAINT	-
MASS	
PACKING	-
MATERIAL	-
MATERIAL SIZE	-
MODEL	QTY
THIRD ANGLE	

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	DATE	Ajito 2014-11-19
DESIGNED	DATE	GMimura 2014-11-19
CHECKED	DATE	
APPROVED	DATE	NYamase 2014-11-28

SCALE 1 : 2

DWG NAME: AIR COMBINATION

DWG NO: Ⓐ AC60X-F06-6-B-X2124

REVISION: G

DWG NAME


DWG REC


DWG ID: AC53507300


SMC Corporation

3D-A2-V06

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法







SMC CORPORATION TOKYO JAPAN DEC 12 2014 DEVELOPMENT SECTION

SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. DIGITAL PRESSURE SWITCH AND BARREL NIPPLE ARE PACKED TOGETHER.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	Y32GP-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
8	VA00034	BARREL NIPPLE	STEEL PIPE	1	R1/4 Zn.CHROMATE TREATMENT
7	Y400T-A	SPACER WITH BRACKET	-	1	
6	Y400-A	SPACER	-	1	
5	Y410-F02-A	T SHAPE SPACER	-	1	
4	E400-F02~F04-A	PIPING ADAPTOR	-	1	
3	AN302-03	SILENCER	-	1	
2	ISE70-F02-43-X504	DIGITAL PRESSURE SWITCH	-	1	
1	VHS40-F02~F04B	3PORT HAND VALVE	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-18	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL | QTY

TOLERANCES JIS B 0405

RANGE(mm)	GRADE f	m	c
0.5≤D<3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN Ajito 2014-11-18
DESIGNED GMimura 2014-11-18
CHECKED
APPROVED NYamase 2014-11-28

SCALE 1 :/2

THIRD ANGLE

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC40X-F02~F04-A-X2457

REVISION G

DWG ID AC53506100

SMC Corporation


3D-A2-V06


FINISH: 表面処理 / PAINT: 塗装 / MASS: 質量
PACKING: 包装区分 / MATERIAL: 材質
MATERIAL SIZE: 材料寸法


DWG NAME

DWG REC

TURNTABLE MAIN FEED 1/2"G







SPECIFICATIONS
1.REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FOR FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
5	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
4	Y600T-A	SPACER WITH BRACKET	-	1	
3	AN402-04	SILENCER	-	1	
2	VHS50-F10B	3PORT HAND VALVE	-	1	
1	AF60-F10-6-A	AIR FILTER	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-19	GMimura	-

FINISH -
PAINT -
MASS -
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL | QTY

THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	Ajito	2014-11-19
DESIGNED	GMimura	2014-11-19
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 : 2

DWG NAME: AIR COMBINATION

DWG NO: Ⓐ AC60X-F10-6-A-X2126

REVISION: G

DWG ID: AC53450200

SMC Corporation


TURNTABLE MAIN FEED 1"G


FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法


DWG NAME
DWG REC

3D-A2-V06

ON DWG







SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. DIGITAL PRESSURE SWITCH AND NIPPLE ARE PACKED TOGETHER.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	Y320P~070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
8	VA00179	NIPPLE	STEEL	1	R3/BXRC1/4 Zn.CHROMATE TREATMENT
7	Y600T-A	SPACER WITH BRACKET	-	1	
6	Y600-A	SPACER	-	1	
5	Y610-F03-A	T SHAPE SPACER	-	1	
4	E600-F06~F10-A	PIPING ADAPTOR	-	1	
3	AN402-04	SILENCER	-	1	
2	ISE70-F02-43~X504	DIGITAL PRESSURE SWITCH	-	1	
1	VHS50-F06~F10B	3 PORT HAND VALVE	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-19	GMimura	-

FINISH -
PAINT -
MASS -
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL | QTY

THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	DATE	Ajito 2014-11-19
DESIGNED	DATE	GMimura 2014-11-19
CHECKED	DATE	
APPROVED	DATE	NYamase 2014-11-28

SCALE 1 : 2

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC50X-F06~F10-A-X2127

REVISION G

DWG NAME

DWG REC


DWG ID AC53450100


SMC Corporation

3D-A2-V06

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

TURNTABLE MAIN FEED 3/4"G





SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER SHOULD BE ASSEMBLED BEFORE SHIPMENT.
2. PRESSURE GAUGE WITH COLOUR ZONE IS PACKED TOGETHER.
3. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED
8	Y500T-A	SPACER WITH BRACKET	-	2	
7	Y500-A	SPACER	-	1	
6	E500-F06-A	PIPING ADAPTOR	-	1	
5	ANA1-04	SILENCER	-	1	
4	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
3	VHS40-F06B	3 PORT HAND VALVE	-	1	
2	AFM40-F06-6-A	MIST SEPARATOR	-	1	
1	AW40K-F06-6-B	FILTER REGULATOR	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
D	-	初版	2014-11-20	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL QTY

THIRD ANGLE

TOLERANCES JIS B 0405			
RANGE(mm)	GRADE f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	Aito	2014-11-20
DESIGNED	GMimura	2014-11-20
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 :2

DWG NAME エアコンビネーション

DWG NO Ⓐ AC40X-F06-6-B-X2456

REVISION G

DWG NAME


DWG REC


DWG ID AC53508600

SMC Corporation

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法

LOW AUTOMATION 3/4"G







SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER AND PRESSURE GAUGE WITH COLOUR ZONE ARE PACKED TOGETHER.
2. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS, THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED. PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.





BRAKE AND FLUID FILL 3/4"G

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
6	INA-25-BB	SILENCER	-	1	
5	E600-F06-A	PIPING ADAPTOR	-	2	
4	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
3	AVL5000-F06	SOFT START-UP VALVE	-	1	
2	AM550C-F06-T	MIST SEPARATOR	-	1	
1	AW60K-F06-6-B	FILTER REGULATOR	-	1	

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED ATTACHED TO THE SIDE OF BRACKET(IN SIDE)
8	Y600T-A	SPACER WITH BRACKET	-	2	
7	Y600-A	SPACER	-	2	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-21	GMimura	-

FINISH	-
PAINT	-
MASS	
PACKING	-
MATERIAL	-
MATERIAL SIZE	-

MODEL | QTY

TOLERANCES JIS B 0405	GRADE		
RANGE(mm)	f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	Ajito	2014-11-21
DESIGNED	GMimura	2014-11-21
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 : 2

THIRD ANGLE

DWG NAME: AIR COMBINATION

DWG NO: Ⓐ AC60X-F06-6-B-X2104


REVISION: G


DWG NAME | DWG REC | DWG ID: AC53509700

SMC Corporation

3D-A2-V06

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法







SPECIFICATIONS
1. REFER TO PRODUCT SPECIFICATION ABOUT EACH PRODUCT.

CAUTION FOR PRODUCTION
1. SILENCER AND PRESSURE GAUGE WITH COLOUR ZONE ARE PACKED TOGETHER.
2. ASSEMBLE CHECK VALVE AND MALE CONNECTOR WHICH ARE PACKED TOGETHER.
3. THE PLUG FOR THE GAUGE PORT OF AW IS UNNECESSARY.

UNLESS OTHERWISE NOTED ALONG WITH A SEPARATE CONTRACT OR AGREEMENT WITHIN THE PRODUCT SPECIFICATIONS. THE SAFETY INSTRUCTIONS SPECIFIED IN THE PRODUCT CATALOG ARE APPLIED.
PLEASE CONTACT YOUR LOCAL SMC SALES OFFICE FURTHER DETAILS.





BRAKE AND FLUID FILL 1/2"G

ITEM	PART NO	PART NAME	MATERIAL	QTY	REMARKS
9	Y320P-070	NAME PLATE	POLYETHYLENE	1	COMPLETE PRODUCT NO. INDICATED ATTACHED TO THE SIDE OF BRACKETON SIDE)
8	Y400T-A	SPACER WITH BRACKET	-	2	
7	Y400-A	SPACER	-	2	
6	ANA1-04	SILENCER	-	1	
5	E400-F04-A	PIPING ADAPTOR	-	2	
4	G36-P10-01-L-X30	PRESSURE GAUGE WITH COLOUR ZONE	-	1	
3	AVL4000-F04	SOFT START-UP VALVE	-	1	
2	AFM40-F04-6-A	MIST SEPARATOR	-	1	
1	AW40K-F04-6-B	FILTER REGULATOR	-	1	

REV	QTY	DESCRIPTION	DATE	PREPARED	REV NO
0	-	INITIAL RELEASE	2014-11-21	GMimura	-

FINISH -
PAINT -
MASS
PACKING -
MATERIAL -
MATERIAL SIZE -

MODEL QTY

THIRD ANGLE

TOLERANCES JIS B 0405	GRADE		
RANGE(mm)	f	m	c
0.5≤D≤3	0.05	0.1	0.2
3<D≤6	0.05	0.1	0.3
6<D≤30	0.1	0.2	0.5
30<D≤120	0.15	0.3	0.8
120<D≤400	0.2	0.5	1.2
400<D≤1000	0.3	0.8	2
1000<D≤2000	0.5	1.2	3

DRAWN	Ajito	2014-11-21
DESIGNED	GMimura	2014-11-21
CHECKED		
APPROVED	NYamase	2014-11-28

SCALE 1 :/2

DWG NAME AIR COMBINATION

DWG NO Ⓐ AC40D-F04-6-B-X2468

REVISION G

DWG NAME

DWG REC

DWG ID AC53509800

SMC Corporation

FINISH:表面処理 / PAINT:塗装 / MASS:質量
PACKING:包装区分 / MATERIAL:材質
MATERIAL SIZE:材料寸法