

Certificate of Compliance

Certificate Number:

UL-US-L001100-13

Report Reference:

MH11419-20050317

Issue Date:

2025-07-31

Issued to:

SMC CORP

**1-5-5 Kyobashi Chuo-ku, Tokyo 104-0031
Japan**

This certificate confirms that representative samples of:

YIOZ2 - Valves, Electrically Operated - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 429, 7th Ed., Issue Date: 2013-11-6, Revision Date: 2021-3-19

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L001100-13
Report reference MH11419-20050317
Date 2025-07-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General-purpose valve

Model(s): 30-SY5, SY5 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3, SY3 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY5, SY5 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3, SY3, SY3, followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY5, SY5 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3, SY3 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY5, SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L001100-13
Report reference MH11419-20050317
Date 2025-07-31

Model(s): SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO, or WO,, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

Model(s): 30-SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO, or WO,, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY5, SY5, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7 with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7 with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7 with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7 with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

Model(s): 30-SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90, X20 or X587, with or without Q.

Model(s): SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 25A-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by 5, 6, V, R or S, followed by D, G, H, L, LN, LO, M, MN, MO, Y, WAO, or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, 03, C4, C6, C8 or C10, with or without F1 or F2, with X700 with or without Q.

Model(s): 25A-SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by 5, 6, V, R or S, followed by D, G, H, L, LN, LO, M, MN, MO, Y, WAO, or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, 03, C4, C6, C8 or C10, with or without F1 or F2, with X700, with or without Q.

Model(s): 25A-SY5, 25A-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by 5, 6, V, R or S, followed by WA1, W1, WA2, W2, WA3, W3, WA4, W4, WA5, W5, WA6, W6, WA7, or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, 03, C4, C6, C8 or C10, with or without F1 or F2, with X700 with or without Q.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L001100-13
Report reference MH11419-20050317
Date 2025-07-31

Model(s): 30-SY5, SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY3, SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7 with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

Model(s): 30-SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90, X20 or X587, with or without Q.

Model(s): SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY3, 30-SY5, SY3, SY5 followed by 1, 2, 3, 4, or 5, followed by 4, followed by 0 or 5, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Model(s): 30-SY5, SY5 followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Model(s): 30-SY3, 30-SY3,, SY3 followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5, or 6, followed by FU, with or without D or E, with or without X90, with or without Q.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L000439-13

Report Reference:

MH11419-20050317

Issue Date:

2025-07-31

Issued to:

SMC CORP

**1-5-5 Kyobashi Chuo-ku, Tokyo 104-0031
Japan**

This certificate confirms that representative samples of:

**YIOZ8 - Valves, Electrically Operated Certified for Canada -
Component**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 139, Edition 5, Issue Date 2019-12, Revision Date
2023-03**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Owner



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L000439-13
Report reference MH11419-20050317
Date 2025-07-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General-purpose valve

Model(s): 30-SY5, SY5 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3, SY3 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY5, SY5 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3, SY3 followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY5, SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO or WO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO, or WO,, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

Model(s): 30-SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, WAO, or WO,, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90, X20 or X587, with or without Q.

Model(s): 25A-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by 5, 6, V, R or S, followed by D, G, H, L, LN, LO, M, MN, MO, Y, WAO, or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, 03, C4, C6, C8 or C10, with or without F1 or F2, with X700 with or without Q.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L000439-13
Report reference MH11419-20050317
Date 2025-07-31

Model(s): 25A-SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by 5, 6, V, R or S, followed by D, G, H, L, LN, LO, M, MN, MO, Y, WAO, or WO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, 03, C4, C6, C8 or C10, with or without F1 or F2, with X700, with or without Q.

Model(s): 30-SY5, SY5 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY3, SY3 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7 with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

Model(s): 30-SY9 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90, X20 or X587, with or without Q.

Model(s): SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

Model(s): 30-SY7 followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90, X20 or X587, with or without Q.

Model(s): 30-SY3, 30-SY5, SY3, SY5 followed by 1, 2, 3, 4, or 5, followed by 4, followed by 0 or 5, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Model(s): 30-SY5, SY5 followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Model(s): 30-SY3, SY3 followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5, or 6, followed by FU, with or without D or E, with or without X90, with or without Q.