

CERTIFICATE OF COMPLIANCE

Certificate Number 20130424-MH11419
Report Reference MH11419-20081002
Issue Date 2013-APRIL-24

Issued to: SMC CORP
4-14-1 SOTO-KANDA
CHIYODA-KU
TOKYO 101-0021 JAPAN



**This is to certify that
representative samples of**

COMPONENT - VALVES, ELECTRICALLY OPERATED
See addendum page for models.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: Electrically Operated Valves, UL 429, CSA C22.2 No. 139-10
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark: , may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada:  and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Recognized Component Mark on the product.



William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130424-MH11419
Report Reference MH11419-20081002
Issue Date 2013-APRIL-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USR, CNR - General-Purpose, Manifold Valves, Model SS5J or 10-SS5J, followed by 2 or 3, with or without M, followed by 60, followed by G, followed by D, followed by 01 through 16, followed by B, D, M, or U, with or without R, RS, or S, with or without B or L, with or without 2 through 16.

USR, CNR - General-Purpose, Manifold Valves, Model SS5J or 10-SS5J, followed by 2 or 3, with or without M, followed by 60S, followed by 0, Q, Q1, Q2, Q3, V or V2, with or without A, with or without N, with or without D, followed by 01 through 32, followed by B, D, M, or U, with or without R, RS, or S, with or without B or L, with or without 2 through 32.

USR, CNR - General-Purpose, Manifold Valves, Model SS5J or 10-SS5J, followed by 2 or 3, with or without M, followed by 60S6B, with or without N, followed by D, followed by 01 through 16, followed by B, D, M, or U, with or without R, RS, or S, with or without B or L, with or without 2 through 16.


USR, CNR - General-Purpose, Manifold Valves, Model SS5J or 10-SS5J, followed by 2 or 3, with or without M, followed by 60, followed by 01 through 20, followed by B, D, M, or U, with or without R, RS, or S, with or without B or L, with or without 2 through 20.

USR, CNR - General-Purpose, Manifold Valves, Model SS5J or 10-SS5J, followed by 2 or 3, with or without M, followed by 60, with or without L, followed by F, P, PG, J or PH, followed by D followed by 1 or 2, followed by 01 through 24, followed by B, D, M, or U, with or without R, RS, or S, with or without B or L, with or without 2 through 24.

USR, CNR - General-Purpose, Manifold Valves, Model SS3J or 10-SS3J, followed by 3, followed by V, followed by 60, followed by G, followed by D, followed by 01 through 08, followed by B, D, M, or U, with or without B or L, with or without 2 through 8.

USR, CNR - General-Purpose, Manifold Valves, Model SS3J or 10-SS3J, followed by 3, followed by V, followed by 60S, followed by 0, Q, Q1, Q2, Q3, V, or V2, with or without A, with or without N, with or without D, followed by 01 through 16, followed by B, D, M, or U, with or without B or L, with or without 2 through 16.

USR, CNR - General-Purpose, Manifold Valves, Model SS3J or 10-SS3J, followed by 3, followed by V, followed by 60S6B, with or without N, followed by D, followed by 01 through 08, followed by B, D, M, or U, with or without B or L, with or without 2 through 08.



William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130424-MH11419
Report Reference MH11419-20081002
Issue Date 2013-APRIL-24

USR, CNR - General-Purpose, Manifold Valves, Model SS3J or 10-SS3J, followed by 3, followed by V, followed by 60, followed by 01 through 20, followed by B, D, M, or U, with or without B or L, with or without 2 through 20.

USR, CNR – General-Purpose, Manifold Valves, Model SS3J or 10-SS3J, followed by 3, followed by V, followed by 60, with or without L, followed by F, P, PG, J, or PH, followed by D, followed by 1 or 2, followed by 01 through 12, followed by B, D, M, or U, with or without B or L, with or without 2 through 12.

USR, CNR – General-Purpose, Pilot Valves, Model SJ or 10-SJ, followed by 2 or 3, followed by 1, 2, 3, 4, 5, A, B or C, followed by 60, with or without R, with or without E, K or P, with or without T, with or without N, followed by 5 or 6, with or without N, followed by C, F, M, MN or MO, followed by U or Z, with or without J, with or without D or F, followed by B2, B4, B6, BN1, BN3, BN7, C0, C2, C4, C6, L2, L4, L6, LN1, LN3, LN7, M3, M5, N1, N3 or N7, with or without D.

USR, CNR - General-Purpose, Pilot Valves, Model SJ or 10-SJ, followed by 3, followed by A6, with or without T, with or without N, followed by 5 or 6, with or without N, followed by C, F, M, MN or MO, followed by U or Z, with or without J, with or without D, with or without D, with or without P.

USR, CNR - General-Purpose, One-Touch Fittings, Model KJ, followed by H, L, or W, followed by 01 through 07, followed by C1 or C2.



William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

