Certificate Number
 20150306-MH11419

 Report Reference
 MH11419-20050317

 Issue Date
 2015-MARCH-06

Issued to: SMC CORP

TSUKUBA TECHNICAL CENTER

4-2-2 KINUNODAI TSUKUBAMIRAI-SHI

IBARAKI-KEN 300-2493 JAPAN

This is to certify that COMPONENT - VALVES, ELECTRICALLY OPERATED

representative samples of See addendum page for models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 429 Standard for Electrically Operated Valves

CAN/CSA C22.2 No. 139-10

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number 20150306-MH11419

Report Reference MH11419-20050317

Issue Date 2015-MARCH-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models

USR, CNR Model SY3, and 30-SY3 followed by 1 or 2, followed by 3 or 5, with or without D, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SY3 and 30-SY3, followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SY3 and 30-SY3, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7 with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY3 and 30-SY3, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7 with or without R, S, U, or Z, with or without D or E, with or without 01, C4, C6, M5, N3 or N7, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY5 and 30-SY5, followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SY5 and 30-SY5, followed by 1 or 2, followed by 3 or 5, with or without D, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7 or N9, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SY5 and 30-SY5, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY5 and 30-SY5, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7 with

Bamely

Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number 20150306
Report Reference MH11419
Issue Date 2015-MA

20150306-MH11419 MH11419-20050317 2015-MARCH-06

or without R, S, U, or Z, with or without D or E, with or without 01, 02, C4, C6, C8, N3, N7, or N9, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY7 and 30-SY7, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY7 and 30-SY7, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, C8, C10, N9, N11, with or without F, N, or T, with or without F1 or F2, with or without X90 or X20, with or without Q.

USR, CNR Model SY9 and 30-SY9, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, with or without T, followed by B, 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SY9 and 30-SY9, followed by 1, 2, 3, 4, or 5, followed by 20 or 40, with or without R, followed by B, 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 02, 03, 04, C8, C10, C12, N9 or N11, with or without F, N, or T, with or without X90 or X20, with or without Q.

USR, CNR Model SYJ3 and 30-SYJ3, followed by 1 or 2, followed by 2, 4 or 9, with or without M or R, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without M3 or M5, with or without F with or without Q.

USR, CNR Model SYJ3 and 30-SYJ3, followed by 1 or 2, followed by 2, 4 or 9, with or without M or R, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without M3 or M5, with or without F with or without Q.

USR, CNR Model SYJ3 and 30-SYJ3, followed by 1, 2, 3, 4, or 5, followed by 2, 3, 4 or 9, followed by 0 or 3, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without M3 or M5, with or without F with or without Q.

USR, CNR Model SYJ3 and 30-SYJ3, followed by 1, 2, 3, 4, or 5, followed by 2, 3, 4 or 9, followed by 0 or 3, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without M3 or M5, with or without F with or without Q..

USR, CNR Model SYJ5 and 30-SYJ5, followed by 1 or 2, followed by 2, 4 or 9, with or without M or R, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or

Bambles

Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number 20150306-MH11419

Report Reference MH11419-20050317

Issue Date 2015-MARCH-06

without R, S, U, or Z, with or without D or E, with or without M5 or 01, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ5 and 30-SYJ5, followed by 1 or 2, followed by 2, 4 or 9, with or without M or R, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without M5 or 01, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ5 and 30-SYJ5, followed by 1, 2, 3, 4, or 5, followed by 2, 4, 5 or 9, followed by 0 or 3, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, M5, C4, C6, N3, or N7 with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ5 and 30-SYJ5, followed by 1, 2, 3, 4, or 5, followed by 2, 4, 5 or 9, followed by 0 or 3, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, M5, C4, C6, N3, or N7, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ7 and 30-SYJ7, followed by 1 or 2, followed by 2 or 4, with or without M or R, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01 or 02, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ7 and 30-SYJ7, followed by 1 or 2, followed by 2 or 4, with or without M or R, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01 or 02, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ7 and 30-SYJ7, followed by 1, 2, 3, 4, or 5, followed by 2 or 4, followed by 0 or 3, with or without T, followed by 5, 6, V, R or S, followed by G, H, L, LN, LO, M, MN, or MO, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7, or N9, with or without F, N, or T, with or without F with or without Q.

USR, CNR Model SYJ7 and 30-SYJ7, followed by 1, 2, 3, 4, or 5, followed by 2 or 4, followed by 0 or 3, followed by 5, 6, V, R or S, followed by D, DO, Y, YO, W0, W1, W2, W3, W4 or W7, with or without R, S, U, or Z, with or without D or E, with or without 01, 02, C6, C8, N7, or N9, with or without F, N, or T, with or without F, with or without Q.

USR, CNR Model SY3 and 30-SY3, followed by 1, 2, 3, 4, or 5, followed by 4, followed by 0 or 5, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Bamely

Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

(U)

 Certificate Number
 20150306-MH11419

 Report Reference
 MH11419-20050317

 Issue Date
 2015-MARCH-06

USR, CNR Model SY5 and 30-SY5, followed by 1, 2, 3, 4, or 5, followed by 4, followed by 0 or 5, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

USR, CNR Model SY3 and 30-SY3, followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5, or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

USR, CNR Model SY5 and 30-SY5, followed by 1, or 2, followed by 5 or 5C, with or without R, followed by 5 or 6, followed by FU, with or without D or E, with or without X90, with or without Q.

Bamely

Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

