CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference

UL-CA-L000445-4 MH11419-20130924

Date 30

30-Nov-2021

Issued to:

SMC CORP

4-14-1 SOTO-KANDA

CHIYODA-KU 101-0021 Japan

This is to certify that representative samples of

YIOZ8 - Valves, Electrically Operated Certified for Canada -

Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

CSA C22.2 No. 139, 3rd Ed., Issue Date: 2010-06-01

Additional Information:


See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



 $\left(U_{L}\right)$

CERTIFICATE OF COMPLIANCE

 Certificate Number
 UL-CA-L000445-4

 Report Reference
 MH11419-20130924

 Date
 30-Nov-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
25A-VP, or VP, followed by 5 or 7, followed by 4, followed by 2, with or without R, followed by 5 or 6, followed by D or Y, with or without S or Z, followed by 1, followed by 03 or 04, with or without F, N or T, with or without M or S1, with or without A or B, followed by X536.	General-purpose valve
25A-VP or, VP, followed by 5 or 7, followed by 4, followed by 4, with or without R, followed by 5 or 6, followed by D or Y, with or without S or Z, followed by 1, followed by 03 or 04, with or without F, N or T, with or without M or M1, with or without M or S1, with or without A or B, followed by X536.	General-purpose valve
25A-VP or VP, , followed by 5 or 7, followed by 4, followed by 4, with or without R, followed by 5 or 6, followed by D or Y, with or without S or Z, followed by 1, followed by 03 or 04, with or without F, N or T, with or without M or S1, with or without A or B, followed by X538.	General-purpose valve
25A-VP or VP,, followed by 5 or 7, followed by 4, followed by 4, with or without R, followed by 5 or 6, followed by D or Y, with or without S or Z, followed by 1, followed by 03 or 04, with or without F, N or T, with or without M or S1, with or without A or B, with or without 10, 15 or 20, followed by X555 or X555-5.	General-purpose valve
VP, followed by 7, followed by 44, with or without R, followed by 5, followed by D or Y, followed by Z, followed by 1, followed by 04, with or without F or N, with or without M, with or without A or B, followed by X557.	General-purpose valve
VP, followed by 7, followed by 44, with or without R, followed by 5, followed by D or Y, followed by Z, followed by 1, followed by 04, with or without F or N, with or without M, with or without A or B, followed by X558.	General-purpose valve



